

	Search Text	DBs	Time Stamp
1	("5767848") or ("6793972") or ("5864871") or ("5894554") or ("5913215") or ("6016504") or ("6026430") or ("6044205") or ("6141653") or ("6356903") or ("6466970") or ("6489980").PN.	USPAT; USOCR	2006/01/27 16:15
2	(table NEAR index\$4) NEAR ID	USPAT	2006/01/27 14:31
3	("20010037380" "20020002563" "20020035451" "6236987").PN. OR ("6829601").URPN.	US-PGPUB; USPAT; USOCR	2006/01/27 14:32
4	("20040030726").PN.	US-PGPUB; USPAT; USOCR	2006/01/30 12:39
5	content ADJ management	USPAT	2006/01/27 15:10
6	(content ADJ management) AND ("707" OR "709").clas.	USPAT	2006/01/27 15:06
7	(content ADJ management) AND ("707" OR "709").clas.	US-PGPUB; USPAT	2006/01/27 15:06
8	S7 AND (database\$1 OR repotor\$3 OR (data ADJ store\$1))	US-PGPUB; USPAT	2006/01/27 15:07
9	S8 AND server\$1	US-PGPUB; USPAT	2006/01/27 15:08
10	"L10" AND index\$4	US-PGPUB; USPAT	2006/01/27 15:08
11	S9 and index\$4	US-PGPUB; USPAT	2006/01/27 15:09
12	S9 and (index\$4 NEAR (database\$1 OR repotor\$4 OR (data ADJ store\$1)))	US-PGPUB; USPAT	2006/01/27 15:09
13	(content ADJ management) ADJ system	USPAT	2006/01/27 15:11
14	S13 AND (database\$1 OR repotor\$3 OR (data ADJ store\$1))	USPAT	2006/01/27 15:11
15	("5894554" "5940834" "5941957" "6085195" "6085226").PN. OR ("6397217").URPN.	US-PGPUB; USPAT; USOCR	2006/01/27 15:23
16	("4866706" "5260878" "5341499" "5392400" "5404522" "5404523" "5404527" "5452460" "5532838" "5535256" "5544649" "5715453" "5727129" "5734835" "5737619" "5742768" "5751956" "5761673" "5774660" "5774670" "5784058" "5793972" "5796952" "5802299" "5809250" "5862330" "5887143").PN. OR ("5894554" "5941957").URPN.	US-PGPUB; USPAT; USOCR	2006/01/27 15:35
17	("20020112121" "5894554" "5940834" "5941957" "6012071" "6055522" "6085195" "6085226").PN. OR ("6836774").URPN.	US-PGPUB; USPAT; USOCR	2006/01/27 15:40
18	("5894554" "6052730" "6070185" "6081788" "6233600" "6278449" "6314555" "6317777" "6356285").PN. OR ("6744447").URPN.	US-PGPUB; USPAT; USOCR	2006/01/27 15:53
19	(tableNEARindex\$4).PN.	USPAT; USOCR	2006/01/27 16:15
20	table NEAR index\$4	USPAT	2006/01/27 16:15
21	(table\$1 NEAR index\$4) AND ("707" OR "709").clas.	USPAT	2006/01/27 16:15
22	((document\$1 OR page\$1) SAME (table\$1 NEAR index\$4)) AND ("707" OR "709").clas.	USPAT	2006/01/27 16:16
23	((ID AND (document\$1 OR page\$1)) SAME (table\$1 NEAR index\$4)) AND ("707" OR "709").clas.	USPAT	2006/01/27 16:16
24	("4713754" "4959769" "4996662" "5119491" "5130924" "5181162" "5276793" "5323312" "5434962" "5438512").PN. OR ("5553216").URPN.	US-PGPUB; USPAT; USOCR	2006/01/27 16:46

	Search Text	DBs	Time Stamp
25	S24 AND web	US-PGPUB; USPAT; USOCR	2006/01/27 16:46
26	(stor\$4 NEAR trigger\$1)	USPAT	2006/01/30 12:40
27	(stor\$4 NEAR trigger\$1) NEAR review	USPAT	2006/01/30 12:40
28	(stor\$4 NEAR trigger\$1) NEAR review\$1	USPAT	2006/01/30 12:40
29	(stor\$4 NEAR trigger\$1) NEAR review\$4	USPAT	2006/01/30 12:40
30	(stor\$4 NEAR trigger\$1) SAME review\$4	USPAT	2006/01/30 12:41
31	(flag\$1 OR trigger\$1) NEAR review\$4	USPAT	2006/01/30 12:42
32	((flag\$1 OR trigger\$1) NEAR review\$4) AND ("707" OR "709").clas.	USPAT	2006/01/30 12:53
33	((flag\$1 OR trigger\$1) NEAR (check\$4 OR review\$4)) AND ("707" OR "709").clas.	USPAT	2006/01/30 12:54
34	((flag\$1 OR trigger\$1) NEAR (content NEAR (check\$4 OR review\$4))) AND ("707" OR "709").clas.	USPAT	2006/01/30 12:54
35	((flag\$1 OR trigger\$1) NEAR ((content OR data) NEAR (check\$4 OR review\$4))) AND ("707" OR "709").clas.	USPAT	2006/01/30 12:56
36	((flag\$1 OR trigger\$1) NEAR stor\$4)	USPAT	2006/01/30 12:56
37	((flag\$1 OR trigger\$1) NEAR stor\$4) AND ("707" or "709").clas.	USPAT	2006/01/30 12:56
38	((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas.	USPAT	2006/01/30 12:57
39	((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (review\$4 NEAR (content\$2 OR data))	USPAT	2006/01/30 12:59
40	((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (review\$4 NEAR (content\$2 OR data)) AND (advisor\$4 NEAR store\$4)	USPAT	2006/01/30 13:00
41	((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (review\$4 NEAR (content\$2 OR data)) AND (advisor\$4 NEAR store\$4) AND advisor\$4	USPAT	2006/01/30 13:08
42	((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (review\$4 NEAR (content\$2 OR data)) AND (advisor\$4 NEAR store\$4) AND (advisor\$4 NEAR content)	USPAT	2006/01/30 13:10
43	((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (review\$4 NEAR (content\$2 OR data))	USPAT	2006/01/30 13:12
44	((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas.	USPAT	2006/01/30 13:12
45	((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (data\$1 OR content\$1)	USPAT	2006/01/30 13:12
46	((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (content\$1)	USPAT	2006/01/30 13:12
47	((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (content\$1 NEAR (review\$4 OR check\$4))	USPAT	2006/01/30 13:14

	Search Text	DBs	Time Stamp
48	((flag\$1 OR trigger\$1) NEAR (database\$ OR table\$4 OR stor\$4)) AND ("707" or "709").clas. AND (content\$1 NEAR (review\$4 OR check\$4))	USPAT	2006/01/30 13:16
49	((flag\$1 OR trigger\$1) NEAR (database\$ OR table\$4 OR stor\$4)) SAME (initiat\$4 OR start\$4) AND ("707" or "709").clas.	USPAT	2006/01/30 13:17
50	((flag\$1 OR trigger\$1) NEAR (database\$ OR table\$4 OR stor\$4)) NEAR (initiat\$4 OR start\$4) AND ("707" or "709").clas.	USPAT	2006/01/30 13:18
51	(personaliz\$4 OR customiz\$4) NEAR content\$	USPAT	2006/01/30 13:19
52	((personaliz\$4 OR customiz\$4) NEAR content\$) SAME (browser OR viewer)	USPAT	2006/01/30 13:20
53	((personaliz\$4 OR customiz\$4) NEAR content\$) SAME (browser OR viewer)	USPAT	2006/01/30 13:20
54	((personaliz\$4 OR customiz\$4) NEAR content\$) SAME (browser OR viewer) AND ("707" OR "709").clas.	USPAT	2006/01/30 14:25
55	(trigger\$4 OR flag\$4) NEAR review\$1	USPAT	2006/01/30 14:26
56	((trigger\$4 OR flag\$4) NEAR review\$1) AND ("707" OR "709").clas.	USPAT	2006/01/30 14:28
57	((trigger\$4 OR flag\$4) NEAR automatic\$5)	USPAT	2006/01/30 14:28
58	((trigger\$4 OR flag\$4) NEAR (automatic\$5 ADJ (review\$1)))	USPAT	2006/01/30 14:29
59	((trigger\$4 OR flag\$4) NEAR (automatic\$5 ADJ (maintenance1)))	USPAT	2006/01/30 14:29
60	((trigger\$4 OR flag\$4) NEAR (automatic\$5 ADJ (maintenance\$1)))	USPAT	2006/01/30 14:29
61	((trigger\$4 OR flag\$4) NEAR (automatic\$5 ADJ (review\$1)))	USPAT	2006/01/30 14:29
62	((trigger\$4 OR flag\$4) NEAR (automatic\$5 ADJ (read\$1)))	USPAT	2006/01/30 14:30
63	((trigger\$4 OR flag\$4) NEAR (automatic\$5 ADJ (read\$4)))	USPAT	2006/01/30 14:30
64	((trigger\$4 OR flag\$4) NEAR (automatic\$5))	USPAT	2006/01/30 14:30
65	((trigger\$4 OR flag\$4) NEAR (automatic\$5)) AND ("707" OR "709").clas.	USPAT	2006/01/30 14:39
66	((trigger\$4 OR flag\$4) NEAR (automatic\$5)) AND ("707" OR "709").clas. AND update	USPAT	2006/01/30 15:51
67	ID NEAR (table\$1 AND document\$1)	USPAT	2006/01/30 15:52
68	index\$4 NEAR site\$1	USPAT	2006/01/30 15:52
69	(index\$4 NEAR site\$1) AND ID	USPAT	2006/01/30 15:53
70	((index\$4 NEAR site\$1) AND ID) AND ("707" or "709").clas.	USPAT	2006/01/30 15:58
71	((index\$4 NEAR site\$1) AND content\$1) AND ("707" or "709").clas.	USPAT	2006/01/31 09:46
72	document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas.	USPAT	2006/01/31 09:47
73	document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. AND (url OR webpage OR site)	USPAT	2006/01/31 09:48

	Search Text	DBs	Time Stamp
74	document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. AND (url OR webpage OR site) AND table	USPAT	2006/01/31 09:48
75	document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. AND (url OR webpage OR site) AND table AND indexing	USPAT	2006/01/31 09:50
76	document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. AND (format\$4 NEAR table) NAD (url OR webpage OR site) AND table AND indexing	USPAT	2006/01/31 09:50
77	document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. AND (format\$4 NEAR table\$1) NAD (url OR webpage OR site) AND table AND indexing	USPAT	2006/01/31 09:50
78	document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. AND (format\$4 NEAR table\$1) AND (url OR webpage OR site) AND table AND indexing	USPAT	2006/01/31 09:54
79	cutom\$5 ADJ website	USPAT	2006/01/31 09:54
80	cutom\$6 ADJ website	USPAT	2006/01/31 09:55
81	cutom\$6 ADJ (webpage OR website)	USPAT	2006/01/31 09:55
82	custom\$6 ADJ (webpage OR website)	USPAT	2006/01/31 09:55
83	custom\$6 NEAR (webpage OR website)	USPAT	2006/01/31 09:56
84	template\$1 NEAR (webpage OR website)	USPAT	2006/01/31 09:58
85	template\$1 NEAR (document\$1)	USPAT	2006/01/31 09:59
86	(template\$1 NEAR (document\$1)) AND ("707" OR "709").clas.	USPAT	2006/01/31 09:59
87	(template\$1 NEAR (document\$1)) AND content\$1 AND ("707" OR "709").clas.	USPAT	2006/01/31 10:12
88	(template\$1 NEAR (document\$1)) AND content\$1 AND ("707" OR "709").clas. AND table	USPAT	2006/01/31 10:15
89	"content managment system"	USPAT	2006/01/31 10:15
90	"content management system"	USPAT	2006/01/31 10:15
91	"content management system" AND ("707" OR "709").clas.	USPAT	2006/01/31 10:15